



U.S. Army Research, Development and Engineering Command



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

***Enabling Sustainable NESHAP Compliance for
Army Installations***

Patrick Taylor

Hughes Associates, Inc.

RDECOM Environmental Acquisition & Logistics Sustainment Program

7 May 2009

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 07 MAY 2009		2. REPORT TYPE		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Enabling Sustainable NESHP Compliance for Army Installations				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research, Development and Engineering Command, Environmental Acquisition & Logistics Sustainment Program, Aberdeen Proving Ground, MD, 21005				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the NDIA Environment, Energy Security & Sustainability (E2S2) Symposium & Exhibition held 4-7 May 2009 in Denver, CO.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 19	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			


- What higher HQ is doing to enable NESHAP compliance
- What regulated sources need to do to take advantage
- What happens next

- Sustainable Painting Operations for the Total Army (SPOTA) program to eliminate hazardous air pollutants (HAPs) in coatings
 - Materials developed and tested on lab-scale „03-„07
 - Materials demonstrated in real environments „08-„11
 - Materials approved and implemented throughout
 - Baseline HAP-containing materials phased out after implementation

- Focusing on six major classes of materials used on all families of Army materiel
 - Paints, including the Chemical Agent Resistant Coating (CARC) system
 - Solvents, thinners and cleaners
 - Depainting materials (a.k.a., paint strippers)
 - Rubber-to-metal bonding adhesives
 - Other miscellaneous sealants and adhesives
 - Coatings intended for use on munitions
- Official endorsements from HQDA and numerous PEOs
 - Demonstrations at AMCOM, TACOM, CECOM, JMC, IMCOM sites

RDT&E Approach to Compliance: Select Products Already Implemented

- HAP-free, water-dispersible CARC topcoat, all types
 - MIL-DTL-64159 specification adopted 2002
 - Type III touch-up kits added 2007
- HAP-free, single component CARC topcoat, type II
 - MIL-DTL-53039 specification revised 2005
 - Type VIII touch-up kits added 2009
- HAP-free enamel for munitions, type II
 - MIL-DTL-11195 specification revised 2003
- HAP-free degreasing solvent
 - MIL-PRF-680 specification revised 2006
- Non-chromate epoxy primers, MIL-PRF-23377 class N and MIL-PRF-85582 class N
 - Developed by NAVAIR, approved by AMCOM 2008
- Non-chromate trivalent chromium pretreatment (TCP)
 - Developed by NAVAIR, approved by AMCOM 2009



RDT&E Approach to Compliance: Select Products to Look for Near-Term

- HAP-free CARC primers, all types
 - MIL-P-53030 and MIL-P-53022 to be revised
- CARC powder primers
 - New specification to be developed
- Cobalt-free CARC topcoats, all types
 - Green 383 pigment to be replaced by Green 808
 - All specs to be revised
- HAP-free cleaners for wipe, flush and immersion
 - Demonstrations underway, joint specification in development
- HAP-free immersion paint remover
 - One application already demonstrated, others to follow
- HAP-free thinners for paints and adhesives
 - To be incorporated into existing specifications and SOPs
- HAP-free anti-tamper sealant
 - Demonstrated in 2008, implementation to follow



RDT&E Approach to Compliance:

Select Products to Look for Mid-Term

- HAP-free system to replace trichloroethylene vapor degreasers
 - Demonstrations underway for two applications
- CARC powder topcoats
 - New specification to be developed
- HAP-free, non-skid coatings
 - To replace MIL-PRF-24667 and similar products
- HAP-free, high temperature coatings
 - To replace MIL-P-14105 and similar products
- HAP-free, general purpose adhesives
 - To replace MMM-A-121 and similar products
- Non-chromate wash primer
 - To replace DOD-P-15328 and similar products
- HAP-free munitions coatings
 - Numerous different specifications and applications



Anticipated DLSME NESHAP Limit

Numerical HAP content limit on 20 highest use coating specifications

What we are doing

- Demonstrating HAP-free coatings to meet the specifications
- Revising coating specifications to incorporate HAP limits
- Updating qualified product lists to disqualify high-HAP coatings
- Establishing new NSNs for HAP-free coatings, as appropriate
- Cancelling/reassigning existing NSNs for high-HAP coatings
- Changing TMs/DMWRs/TDPs to reference HAP-free coatings
 - Not a short process

Anticipated DLSME NESHAP Limit

Numerical HAP content limit on 20 highest use coating specifications

What you still need to do

- Follow all technical data – failure to do so could be a violation!
- Order coatings through GSA/DLA to ensure they are qualified
- If you buy these coatings directly from a supplier, either:
 - Require they comply with the MOST CURRENT version of the specification, or
 - Insert HAP limits directly into procurement language
- Keep copies of all technical data
 - TMs/DMWRs/TDPs/SOPs
 - Specifications/Standards
 - MSDSs/Product Data Sheets

Enabling DLSME NESHAP Compliance:

Substrate Cleaning and Paint Thinning (1)

Anticipated DLSME NESHAP Limit

HAP-free requirement unless otherwise authorized by technical instructions

What we are doing

- Demonstrating HAP-free solvents in a variety of applications
- Revising MIL-PRF-680 specification to be HAP-free
- Developing new Joint, HAP-free General Cleaning Specification
- Establishing new NSNs for HAP-free solvents, as appropriate
- Cancelling/reassigning existing NSNs for high-HAP solvents
- Revising coating specifications to call out thinning procedures
- Changing TMs/DMWRs/TDPs to reference HAP-free solvents
 - Not a short process

Enabling DLSME NESHAP Compliance:

Substrate Cleaning and Paint Thinning (2)

Anticipated DLSME NESHAP Limit

HAP-free requirement unless otherwise authorized by technical instructions

What you still need to do

- Follow all technical data – failure to do so could be a violation!
- When not instructed which solvent to use, ALWAYS select HAP-free
 - Refer to new Joint spec
 - Good idea to tighten hazmat control/pharmacy procedures
- When buying solvents, either:
 - Require they be HAP-free, or
 - Ensure that they are called out by a technical instruction
- Keep copies of all technical data
 - TMs/DMWRs/TDPs/SOPs
 - Specifications/Standards
 - MSDSs/Product Data Sheets

***Anticipated DLSME NESHAP Limit***

Choice of HAP-free solvents or work practice standards

What we are doing

- Demonstrating HAP-free solvents for cleanup of common paint equipment and coatings
 - Investigating dual use as both cleaner and thinner
- Developing new Joint, HAP-free General Cleaning Specification
- Establishing new NSNs for HAP-free solvents, as appropriate
- Cancelling/reassigning existing NSNs for high-HAP solvents

Anticipated DLSME NESHAP Limit

Choice of HAP-free solvents or work practice standards

What you still need to do

- Follow all technical data – failure to do so could be a violation!
- Change SOPs to implement either:
 - HAP-free cleanup solvents,
 - Enclosed cleaning system,
 - Disassembled spray gun cleaning in closeable container,
 - Non-atomized discharge into closeable container, or
 - Atomized discharge into vapor capture device
- Keep copies of all technical data
 - TMs/DMWRs/TDPs/SOPs
 - Specifications/Standards
 - MSDSs/Product Data Sheets

Enabling DLSME NESHAP Compliance: Methylene Chloride (MeCl) Depainting (1)

Anticipated DLSME NESHAP Limit

Work practices and 50% growth cap for large vats; usage cap outside of vats

What we are doing

- Demonstrating HAP-free chemical paint removers in large vats
- Demonstrating HAP-free chemical paint removers outside of vats
- Demonstrating a variety of mechanical depainting methods
- Revising depainting specifications to eliminate MeCl, as appropriate
- Establishing new NSNs for HAP-free removers, as appropriate
- Changing TMs/DMWRs/TDPs to implement demonstrated methods
 - Not a short process

Enabling DLSME NESHAP Compliance:

Methylene Chloride (MeCl) Depainting (2)

Anticipated DLSME NESHAP Limit

Work practices and 50% growth cap for large vats; usage cap outside of vats

What you still need to do

- Follow all technical data – failure to do so could be a violation!
- Change SOPs to incorporate compliant work practice standards
 - May require vat modifications
- When expanding or adding production capability, design for HAP-free depainting methods
- When buying removers, either:
 - Require they be HAP-free, or
 - Buy less than the usage cap
- Keep copies of all technical data
 - TMs/DMWRs/TDPs/SOPs
 - Specifications/Standards
 - MSDSs/Product Data Sheets

A Model for Sustainable NESHAP Compliance (1)

- Allocate funding to **eliminate pollution**, not to:
 - Hunt for loopholes
 - Justify inaction or non-compliance
 - Comply with bare minimum regulatory requirements
- Work **with** EPA, not against them
 - Both sides benefit – DoD gets achievable standards while EPA gets greater emission reductions



A Model for Sustainable NESHAP Compliance (2)

- Adopt an **evolutionary approach** to pollution reduction
 - Establish cooperative agreements between agencies
 - Align EPA regulatory timescale with DoD technology timescale
 - EPA would set initial standards at levels DoD can achieve without having to install pollution control devices
 - DoD would commit to improving the state of the technology to exceed initial standards on a continuous, spiraling basis
 - Emissions levels would be reduced faster and greater than through a traditional NESHAP with 10-year review cycle
 - Upshot: the Maximum Achievable Control Technology (MACT) floor would constantly be lowered until it approaches zero emissions

Coming Down the Pike: Aerospace NESHAP Dilemma (1)

- Promulgated 1995, effective 1998
- DoD has already spent \$ millions demonstrating compliance with standards that **DO NOT** eliminate pollution
 - Ex. “Specialty coatings” with no requirements
 - Ex. “Parts normally removed” with unlimited use of MeCl
 - Ex. “Composite vapor pressure” limits on solvents
 - Most HAP solvents are low in vapor pressure !!!
 - Xylene, ethylbenzene, MIBK, toluene all < 45 mm Hg !!!
 - MEK > 45 mm Hg but no longer a HAP !!!
- 10-year review currently underway
 - Aerospace NESHAP not expected to fulfill recent court rulings on Brick, Boiler and Plywood NESHAPs
 - Too many instances of “no control” MACT floors

- How will DoD allocate \$ for more stringent Aerospace NESHAP?
 - Fight for loopholes and exemptions?
 - Install pollution control devices?
 - Try to opt into the DLSME NESHAP?

***Why not an evolutionary
MACT approach???***